

FILED
2012 MAY 17 PM 12:46
DEPARTMENT OF STATE
TALLAHASSEE, FLORIDA

ORDINANCE NO. 2012-5

AN ORDINANCE TO BE KNOWN AS THE HERNANDO COUNTY CONSTRUCTION CODE; PROVIDING FOR ADMINISTRATION OF THE FLORIDA BUILDING CODE; PROVIDING FOR THE SEVERANCE OF PARTS; PROVIDING FOR A REPEALER CLAUSE; PROVIDING FOR VIOLATIONS, REMEDIES, AND PENALTIES; PROVIDING FOR INCLUSION IN THE CODE; PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, the Florida Building Code Act of 1998 directed the Florida Building Commission to establish a statewide uniform building code known as the Florida Building Code; and

WHEREAS, Chapter 553.72, Florida Statutes, provides that the Florida Building Code be adopted, modified, updated, interpreted, and maintained by the Florida Building Commission in accordance with ss. [120.536\(1\)](#) and [120.54](#); and

WHEREAS, the enforcement of the Florida Building Code is the responsibility of local governments; and

WHEREAS, Hernando County actively participates in the enforcement of building construction regulation for the benefit of the public safety of its citizens; and

WHEREAS, Hernando County desires to facilitate the enforcement of the Florida Building Code by enacting administrative amendments which meet the needs of its citizens;

NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF COUNTY COMMISSIONERS OF HERNANDO COUNTY, FLORIDA.

SECTION 1. SCOPE AND ADMINISTRATION

Chapter 1, Administration, of the Florida Building Code is hereby amended to read as follows:

101 GENERAL

101.1 Title. These regulations shall be known as the Florida Building Code hereinafter referred to as "this code."

101.2 Scope. The provisions of this code shall apply to the construction, alteration, movement, enlargement, replacement, repair, equipment, use and occupancy, location, maintenance, removal and demolition of every building or structure or any appurtenances connected or attached to such buildings or structures.

Exception:

1. Detached one- and two-family dwellings and multiple single-family dwellings (townhouses) not more than three stories above grade plane in height with a separate means of egress and their accessory structures shall comply with the Florida Building Code, Residential.

2. Existing buildings undergoing repair, alterations or additions and change of occupancy shall comply with Florida Building Code, Existing.

101.2.1 Appendices. Provisions in the following appendices shall apply:

FBC – Building: B, C, E, F;

FBC – Existing Building: B, C;

FBC Residential: A, B, C, E, F, O;

FBC – Mechanical: A;

FBC – Fuel Gas: A, B, C, D;

FBC – Energy Conservation: A, B, C;

FBC – Plumbing: B, C, D, E, F;

FBC – Electrical: Fine Print Notes; Chapter 9 Tables; Annex A, B, C, D

101.2.2 Florida Building Code, Residential

Construction standards or practices which are not covered by Florida Building Code, Residential volume shall be in accordance with the provisions of Florida Building Code, Building.

101.3 Intent. The purpose of this code is to establish the minimum requirements to safeguard the public health, safety and general welfare through structural strength, means of egress facilities, stability, sanitation, adequate light and ventilation, energy conservation, and safety to life and property from fire and other hazards attributed to the built environment and to provide safety to fire fighters and emergency responders during emergency operations.

101.3.1 Quality control. Quality control of materials and workmanship is not within the purview of this code except as it relates to the purposes stated herein.

101.3.2 Warranty and Liability. The permitting, plan review or inspection of any building, system or plan by this jurisdiction, under the requirements of this code, shall not be construed in any court as a warranty of the physical condition of such building, system or plan or their adequacy. This jurisdiction shall not be liable in tort for damages or hazardous or illegal condition or inadequacy in such building, system or plan, nor for any failure of any component of such, which may occur subsequent to such inspection or permitting.

101.4 Referenced codes. The other codes listed in Sections 101.4.1 through 101.4.8 and referenced elsewhere in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference.

101.4.1 Gas. The provisions of the International Fuel Gas Code with the Florida Fuel Gas Code Supplement shall apply to the installation of gas piping from the point of delivery, gas appliances and related accessories as covered in this code. These requirements apply to gas piping systems extending from the point of delivery to the inlet connections of appliances and the installation and operation of residential and commercial gas appliances and related accessories.

101.4.2 Mechanical. The provisions of the Florida Building Code, Mechanical shall apply to the installation, alterations, repairs and replacement of mechanical systems, including equipment, appliances, fixtures, fittings and/or appurtenances, including ventilating, heating, cooling, air conditioning and refrigeration systems, incinerators and other energy-related systems.

101.4.3 Plumbing. The provisions of the Florida Building Code, Plumbing shall apply to the installation, alteration, repair and replacement of plumbing systems, including equipment, appliances, fixtures, fittings and appurtenances, and where connected to a water or sewage system and all aspects of a medical gas system.

101.4.4 Property maintenance. *Reserved.*

101.4.5 Fire prevention. The provisions of the Florida Fire Prevention Code shall apply to matters affecting or relating to structures, processes and premises from the hazard of fire and explosion arising from the storage, handling or use of structures, materials or devices; from conditions hazardous to life, property or public welfare in the occupancy of structures or premises; and from the construction, extension, repair, alteration or removal of fire suppression and alarm systems or fire hazards in the structure or on the premises from occupancy or operation.

101.4.6 Energy. The provisions of the Florida Building Code, Energy Conservation shall apply to all matters governing the design and construction of buildings for energy efficiency.

101.4.7 Accessibility. For provisions related to accessibility, refer to Chapter 11 of the Florida Building Code, Building.

101.4.8 Manufactured buildings. For additional administrative and special code requirements, see section 428, Florida Building Code, Building, and Rule 9B-1 F.A.C.

101.4.9 Flood. The provisions of ASCE 24 shall apply to construction in areas located in a special flood hazard as depicted by the FIRM adopted by the governing body of the county.

101.5 Definitions

101.5.13.4 Month. The word "month" shall mean a calendar month.

101.5.13.5 Shall, may. The word "shall" is mandatory; "may" is permissive. The word "shall" takes precedence over "may."

101.5.13.6 Written or in writing. The term "written" or "in writing" shall be construed to include any representation of words, letters or figures whether by printing or otherwise.

101.5.13.7 Year. The word "year" shall mean a calendar year, unless a fiscal year is indicated.

101.5.13.8 Interpretation. Interpretations of this chapter shall be made by the building official.

101.5.14 Words not defined.

101.5.14.1 Words not defined herein shall have the meaning stated in the Florida Statutes; other nationally recognized codes; other Hernando County Ordinances; or other documents, manuals or standards adopted elsewhere in this Chapter. Words not defined in those documents shall have the meaning stated in the Webster's Ninth New Collegiate Dictionary, as revised.

101.5.14.2 In case of a conflict in definitions or codes, the appropriate definition (or code) to be applied shall be the one applicable to the trade in question. In case of a conflict between different parts of this chapter; conflicts within the same code; or conflicts between codes; the more stringent requirements shall be applicable.

101.5.15 Words Defined

Abandon or abandonment. (1) Termination of a construction project by a contractor without just cause or proper notification to the owner including the reason for termination. (2) Failure of a contractor to perform work without just cause for ninety (90) days. (3) Failure to obtain an approved inspection within one hundred eighty (180) days from the previous approved inspection or failure to commence work within one hundred eighty (180) days from permit issuance.

Appraised value. For the purpose of this section, appraised value is defined as either (1) one hundred and twenty (120) percent of the assessed value of the structure as indicated by the County Property Appraiser's Office or (2) the value as indicated in a certified appraisal from a certified appraiser.

Assessed value. The value of real property and improvements thereon as established by the County Property Appraiser.

Authorized agent. A person specifically designated as set forth on an approved "Authorized Agent Affidavit" form. Such person will have authority as set forth by the affidavit.

Board. The appropriate City or County Board of Adjustment and Appeals, unless otherwise specifically stated.

Building component. An element or assembly of elements integral to or part of a building.

Building shell. The structural components that completely enclose a building, including, but not limited to, the foundation, structural frame, floor slabs, exterior walls and roof system.

Building system. A functionally related group of elements, components and/or equipment, such as the electrical, plumbing and mechanical systems of a building.

Certificate of occupancy (C.O.). An official document evidencing that a building satisfies the requirements of the jurisdiction for the occupancy of a building.

Change of occupancy. A change from one Building Code occupancy classification or sub classification to another.

Commercial building. Any building, structure, improvement or accessory thereto, other than a one- or two-family dwelling.

Cumulative construction cost. The sum total of costs associated with any construction work done to a building or structure either at one (1) time or at different times within a specified period of time.

Demolition. The act of razing, dismantling or removal of a building or structure, or portion thereof, to the ground level.

Imminent danger. Structurally unsound conditions of a structure or portion thereof that is likely to cause physical injury to a person entering the structure; or due to structurally unsound conditions, any portion of the structure is likely to fall, be carried by the wind, or otherwise detach or move, and in doing so cause physical injury or damage to a person on the property or to a person or property nearby; or the condition of the property is such that it harbors or is inhabited by pests, vermin, or organisms injurious to human health, the presence of which constitutes an immediate hazard to people in the vicinity.

Inspection warrant. A court order authorizing the official or his designee to perform an inspection of a particular property named in the warrant.

Intensification of use. An increase in capacity or number of units of a residential or commercial building.

Interior finish. The preparation of interior spaces of a commercial building for the first occupancy thereof.

Market value. As defined in flood plain regulations of this code.

Permit. An official document authorizing performance of a specific activity regulated by this chapter.

Permit card or placard. A document issued by the jurisdiction evidencing the issuance of a permit and recording of inspections.

Remodeling. Work which changes the original size, configuration or material of the components of a building.

Residential building. Any one- or two-family building or accessory.

Roofing. The installation of roof coverings.

Spa. Any constructed or prefabricated pool containing water jets.

Start of construction.

Site: The physical clearing of the site in preparation for foundation work including, but not limited to, site clearing, excavation, de-watering, pilings and soil testing activities.

Building: The removal, disassembly, repair, replacement, installation or assembly of the building, structure, building system or building components in whole or parts thereof.

Stop work order. An order by the building official, or his designee, which requires the immediate cessation of all work and work activities described in the order.

Structural component. Any part of a system, building or structure, load bearing or non-load bearing, which is integral to the structural integrity thereof, including but not limited to walls, partitions, columns, beams and girders.

Structural work or alteration. The installation or assembling of new structural components into a system, building or structure. Also, any change, repair or replacement of any existing structural component of a system, building or structure.

Substantial completion. Where the construction work has been sufficiently completed in accordance with the applicable city, state and federal codes, so that the owner can occupy or utilize the project for the use for which it is intended.

Value. Job cost, including but not limited to, materials and labor.

Wind Borne Debris Region. Wind borne debris region shall be those areas lying west of the Wind Borne Debris Line as defined below and depicted on the map titled “Hernando County Wind Zone A”:

Starting point at north end of County:

<u>Location:</u>	<u>Approximate GPS coordinates:</u>	
	(Degrees, Minutes)	
BEGIN		
Intersection of Lagrue Rd. & Retriever Rd.	82, 34 w	28, 42 n

Then southerly approximate 11 miles to
 Intersection of Cortez Blvd and the first
 N/S canal east of Shoal Line Blvd running
 North and south (approximately 1 mile) between
 Cortez Blvd and the Weeki Wachee River

	82, 37 w	28, 33 n
--	----------	----------

Then south approximately 5 miles to
 Intersection of Tarpon Blvd., and Hwy 19

	82, 38 w	28, 28 n
--	----------	----------

Then southerly approximately 2 miles to
 Intersection of County Line Rd. and Hwy 19

	82, 38 w	28, 26 n
--	----------	----------

END

Wind Speeds. Refer to FBC-B Chapter 16, Figures 1609A, 1609B, and 1609C for general wind speed maps. Hernando County Wind Speeds are defined as follows and as displayed by the “Hernando County Wind Speed Maps” attached to, and made part of this chapter: (All values listed are V-ultimate.)

1609A (Risk Category II Buildings and Structures)
 V-ult. = 140 mph Those areas west of a northwesterly line running between the southwestern corner of S31 T23S R17E to the southwestern corner of S13 T23S R16E continuing to the Gulf of Mexico.

V-ult. = 139 mph those areas east of the line described above as the 140 mph line to the eastern end of the county.
 Interpolation is allowed.

1609B (Risk Category III & IV Buildings and Structures)
 V-ult. = 149 mph throughout the county. Interpolation is allowed.

1609C (Risk Category I Buildings and Structures)
 V-ult. = 127 mph throughout the county. Interpolation is not allowed.

102. APPLICABILITY

102.1 General. Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable. Where, in any specific case,

different sections of this code specify different materials, methods of construction or other requirements, the most restrictive shall govern.

102.1.1 The Florida Building Code does not apply to, and no code enforcement action shall be brought with respect to, zoning requirements, land use requirements and owner specifications or programmatic requirements which do not pertain to and govern the design, construction, erection, alteration, modification, repair or demolition of public or private buildings, structures or facilities or to programmatic requirements that do not pertain to enforcement of the Florida Building Code. Additionally, a local code enforcement agency may not administer or enforce the Florida Building Code, Building to prevent the siting of any publicly owned facility, including, but not limited to, correctional facilities, juvenile justice facilities, or state universities, community colleges, or public education facilities, as provided by law.

102.2 Building. The provisions of the Florida Building Code shall apply to the construction, erection, alteration, modification, repair, equipment, use and occupancy, location, maintenance, removal and demolition of every public and private building, structure or facility or floating residential structure, or any appurtenances connected or attached to such buildings, structures or facilities. Additions, alterations, repairs and changes of use or occupancy group in all buildings and structures shall comply with the provisions provided in Chapter 34 of this code. The following buildings, structures and facilities are exempt from the Florida Building Code as provided by law, and any further exemptions shall be as determined by the legislature and provided by law:

- a) Building and structures specifically regulated and preempted by the federal government.
- b) Railroads and ancillary facilities associated with the railroad.
- c) Nonresidential farm buildings on farms.
- d) Temporary buildings or sheds used exclusively for construction purposes.
- e) Mobile or modular structures used as temporary offices, except that the provisions of Part II (Section 553.501-553.513, Florida Statutes) relating to accessibility by persons with disabilities shall apply to such mobile or modular structures. Permits shall be required for structural support and tie down, electric supply and all other such utility connections to such mobile or modular structures as required by this jurisdiction.
- f) Those structures or facilities of electric utilities, as defined in Section 366.02, Florida Statutes, which are directly involved in the generation, transmission, or distribution of electricity.
- g) Temporary sets assemblies, or structures used in commercial motion picture or television production, or any sound-recording equipment used in such production, on or off the premises.

h) Chickees constructed by the Miccosukee Tribe of Indians of Florida or the Seminole Tribe of Florida. As used in this paragraph, the term “chickee” means an open-sided wooden hut that has a thatched roof of palm or palmetto or other traditional materials, and that does not incorporate any electrical, plumbing, or other non-wood features.

i) Family mausoleums not exceeding 250 square feet in area which are prefabricated and assembled on site or preassembled and delivered on site and have walls, roofs, and a floor constructed of granite, marble, or reinforced concrete.

j) Temporary housing provided by the Department of Corrections to any prisoner in the state correctional system.

102.2.3 The building official shall apply the same standard to a moved residential building or structure as that applied to the remodeling of any comparable residential building or structure to determine whether the moved structure is substantially remodeled. The cost of the foundation on which the moved building or structure is placed shall not be included in the cost of remodeling for purposes of determining whether a moved building or structure has been substantially remodeled.

102.2.4 This section does not apply to the jurisdiction and authority of the Department of Agriculture and Consumer Services to inspect amusement rides or the Department of Financial Services to inspect state-owned buildings and boilers.

102.2.6 This section does not apply to swings and other playground equipment accessory to a one- or two-family dwelling.

Exception: Electrical service to such playground equipment shall be in accordance with Chapter 27 of this code.

102.3 Application of references. References to chapter or section numbers, or to provisions not specifically identified by number, shall be construed to refer to such chapter, section or provision of this code.

102.4 Referenced codes and standards. The codes and standards referenced in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference. Where differences occur between provisions of this code and referenced codes and standards, the provisions of this code shall apply.

102.5 Partial invalidity. In the event that any part or provision of this code is held to be illegal or void, this shall not have the effect of making void or illegal any of the other parts or provisions.

102.6 Existing structures. The legal occupancy of any structure existing on the date of adoption of this code shall be permitted to continue without change, except as is specifically covered in this code, or the Florida Fire Prevention Code, or as is deemed

necessary by the building official for the general safety and welfare of the occupants and the public.

102.7 Relocation of manufactured buildings.

- (1) Relocation of an existing manufactured building does not constitute an alteration.
- (2) A relocated building shall comply with wind speed requirements of the new location, using the appropriate wind speed map. If the existing building was manufactured in compliance with the Standard Building Code (prior to March 1, 2002), the wind speed map of the Standard Building Code shall be applicable. If the existing building was manufactured in compliance with the Florida Building Code (after March 1, 2002), the wind speed map of the Florida Building Code shall be applicable.
- (3) A relocated building shall comply with the flood hazard area requirements of the new location, if applicable.

102.8 Existing mechanical equipment. An agency or local government may not require that existing mechanical equipment on the surface of a roof be installed in compliance with the requirements of the Florida Building Code until the equipment is required to be removed or replaced.

103 ADMINISTRATION AND ENFORCEMENT

103.1 Creation of enforcement agency. The Building Department is hereby created and the official in charge thereof shall be known as the building official.

103.2 Appointment. The building official shall be appointed by the chief appointing authority of the jurisdiction.

103.3 Deputies. In accordance with the prescribed procedures of this jurisdiction and with the concurrence of the appointing authority, the building official shall have the authority to appoint a deputy building official, the related technical officers, inspectors, plan examiners and other employees. Such employees shall have powers as delegated by the building official.

104 DUTIES AND POWERS OF BUILDING OFFICIAL

104.1 General. The building official is hereby authorized and directed to enforce the provisions of this code. The building official shall have the authority to render interpretations of this code and to adopt policies and procedures in order to clarify the application of its provisions. Such interpretations, policies and procedures shall be in compliance with the intent and purpose of this code. Such policies and procedures shall not have the effect of waiving requirements specifically provided for in this code.

104.2 Applications and permits. The building official shall receive applications, review construction documents and issue permits for the erection, and alteration, demolition and moving of buildings and structures, inspect the premises for which such permits have been issued and enforce compliance with the provisions of this code.

104.3 Notices and orders. The building official shall issue all necessary notices or orders to ensure compliance with this code.

104.4 Inspections. The building official shall make all of the required inspections, or the building official shall have the authority to accept reports of inspection by approved agencies or individuals. Reports of such inspections shall be in writing and be certified by a responsible officer of such approved agency or by the responsible individual. The building official is authorized to engage such expert opinion as deemed necessary to report upon unusual technical issues that arise, subject to the approval of the appointing authority.

104.5 Identification. The building official shall carry proper identification when inspecting structures or premises in the performance of duties under this code.

104.6 Right of entry. Where it is necessary to make an inspection to enforce the provisions of this code, or where the building official has reasonable cause to believe that there exists in a structure or upon a premises a condition which is contrary to or in violation of this code which makes the structure or premises unsafe, dangerous or hazardous, the building official is authorized To enter the structure or premises at reasonable times to inspect or to perform the duties imposed by this code, provided that if such structure or premises be occupied that credentials be presented to the occupant and entry requested. If such structure or premises is unoccupied, the building official shall first make a reasonable effort to locate the owner or other person having charge or control of the structure or premises and request entry. If entry is refused, the building official shall have recourse to the remedies provided by law to secure entry.

When the building official shall have first obtained a proper inspection warrant or other remedy provided by law to secure entry, no owner or occupant or any other persons having charge, care or control of any building, structure, or premises shall fail or neglect, after proper request is made as herein provided, to promptly permit entry therein by the building official for the purpose of inspection and examination pursuant to this code.

104.7 Department records. The building official shall keep official records of applications received, permits and certificates issued, fees collected, reports of inspections, and notices and orders issued. Such records shall be retained in the official records for the period required for retention of public records per FS 119.

104.8 Liability. The building official, member of the board of appeals or employee charged with the enforcement of this code, while acting for the jurisdiction in good faith and without malice in the discharge of the duties required by this code or other pertinent law or ordinance, shall not thereby be rendered liable personally and is hereby relieved from personal liability for any damage accruing to persons or property as a result of any act or by reason of an act or omission in the discharge of official duties. Any suit instituted against an officer or employee because of an act performed by that officer or employee in the lawful discharge of duties and under the provisions of this code shall be

defended by legal representative of the jurisdiction until the final termination of the proceedings. The building official or any subordinate shall not be liable for cost in any action, suit or proceeding that is instituted in pursuance of the provisions of this code.

104.9 Approved materials and equipment. Materials, equipment and devices approved by the building official shall be constructed and installed in accordance with such approval.

104.9.1 Used materials and equipment. The use of used materials which meet the requirements of this code for new materials is permitted. Used equipment and devices shall not be reused unless approved by the building official.

104.10 Modifications. Wherever there are practical difficulties involved in carrying out the provisions of this code, the building official shall have the authority to grant modifications for individual cases, upon application of the owner or owner's representative, provided the building official shall first find that special individual reason makes the strict letter of this code impractical and the modification is in compliance with the intent and purpose of this code and that such modification does not lessen health, accessibility, life and fire safety, or structural requirements. The details of action granting modifications shall be recorded and entered in the files of the building department.

104.11 Alternative materials, design and methods of construction and equipment. The provisions of this code are not intended to prevent the installation of any material or to prohibit any design or method of construction not specifically prescribed by this code, provided that any such alternative has been approved. An alternative material, design or method of construction shall be approved where the building official finds that the proposed design is satisfactory and complies with the intent of the provisions of this code, and that the material, method or work offered is, for the purpose intended, at least the equivalent of that prescribed in this code in quality, strength, effectiveness, fire resistance, durability and safety. . When alternate life safety systems are designed, the SFPE Engineering Guide to Performance-Based Fire Protection Analysis and Design of Buildings, or other methods approved by the building official may be used. The building official shall require that sufficient evidence or proof be submitted to substantiate any claim made regarding the alternative.

104.11.1 Research reports. Supporting data, where necessary to assist in the approval of materials or assemblies not specifically provided for in this code, shall consist of valid research reports from approved sources.

104.11.2 Tests. Whenever there is insufficient evidence of compliance with the provisions of this code, or evidence that a material or method does not conform to the requirements of this code, or in order to substantiate claims for alternative materials or methods, the building official shall have the authority to require tests as evidence of compliance to be made at no expense to the jurisdiction. Test methods shall be as specified in this code or by other recognized test standards. In the absence of recognized and accepted test methods, the building official shall approve the testing procedures.

Tests shall be performed by an approved agency. Reports of such tests shall be retained by the building official for the period required for retention of public records.

104.11.3 Accessibility. Alternative designs and technologies for providing access to and usability of a facility for persons with disabilities shall be in accordance with the FBC-Accessibility.

104.12 Requirements not covered by code. Any requirements necessary for the strength, stability or proper operation of an existing or proposed building, structure, electrical, gas, mechanical or plumbing system, or for the public safety, health and general welfare, not specifically covered by this or the other technical codes, shall be determined by the building official.

105 PERMITS

105.1 Required. Any owner or authorized agent who intends to construct, enlarge, alter, repair, move, demolish, or change the occupancy of a building or structure, or to erect, install, enlarge, alter, repair, remove, convert or replace any impact resistant coverings, electrical, gas, mechanical or plumbing system, the installation of which is regulated by this code, or to cause any such work to be done, shall first make application to the building official and obtain the required permit.

105.1.1 Annual facility permit. In lieu of an individual permit for each alteration to an existing electrical, gas, mechanical, plumbing or interior nonstructural office system(s), the building official is authorized to issue an annual permit for any occupancy to facilitate routine or emergency service, repair, refurbishing, minor renovations of service systems or manufacturing equipment installations/relocations. The building official shall be notified of major changes and shall retain the right to make inspections at the facility site as deemed necessary. An annual facility permit shall be assessed with an annual fee and shall be valid for one year from date of issuance. A separate permit shall be obtained for each facility and for each construction trade, as applicable. The permit application shall contain a general description of the parameters of work intended to be performed during the year.

105.1.2 Annual permit records. The person to whom an annual permit is issued shall keep a detailed record of alterations made under such annual permit. The building official shall have access to such records at all times or such records shall be filed with the building official as designated.

105.1.3 Food permit. As per Section 500.12, Florida Statutes, a food permit from the Department of Agriculture and Consumer Services is required of any person who operates a food establishment or retail store.

105.2 Work exempt from permit. Exemptions from permit requirements of this code shall not be deemed to grant authorization for any work to be done in any manner in violation

of the provisions of this code or any other laws or ordinances of this jurisdiction. Permits shall not be required for the following:

Building:

1. One-story detached accessory structures used as tool and storage sheds, playhouses and similar uses, provided the floor area does not exceed 80 square feet.
2. Oil derricks.
3. Water tanks supported directly on grade if the capacity does not exceed 5,000 gallons (18 925 L) and the ratio of height to diameter or width does not exceed 2:1.
4. Sidewalks and driveways not more than 30 inches (762 mm) above adjacent grade, and not over any basement or story below and are not part of an accessible route.
5. Painting, papering, tiling, carpeting, cabinets, counter tops and similar finish work.
6. Temporary motion picture, television and theater stage sets and scenery.
7. Prefabricated swimming pools accessory to a Group R-3 occupancy that are less than 24 inches (610 mm) deep, do not exceed 5,000 gallons (18 925 L) and are installed entirely above ground.
8. Shade cloth structures constructed for nursery or agricultural purposes, not including service systems.
9. Swings and other playground equipment accessory to detached one- and two-family dwellings.
10. Window awnings supported by an exterior wall that do not project more than 54 inches (1372 mm) from the exterior wall and do not require additional support of Groups R-3 and U occupancies.
11. Non fixed and movable fixtures, cases, racks, counters and partitions not over 5 feet 9 inches (1753 mm) in height.

Electrical:

1. Repairs and maintenance: Minor repair work, including the replacement of lamps or the connection of approved portable electrical equipment to approved permanently installed receptacles.
2. Radio and television transmitting stations: The provisions of this code shall not apply to electrical equipment used for radio and television transmissions, but do apply to equipment and wiring for a power supply and the installations of towers and antennas.
3. Temporary testing systems: A permit shall not be required for the installation of any temporary system required for the testing or servicing of electrical equipment or apparatus.

Gas:

1. Portable heating appliance.
2. Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.

Mechanical:

1. Portable heating appliance.
2. Portable ventilation equipment.
3. Portable cooling unit.

4. Steam, hot or chilled water piping within any heating or cooling equipment regulated by this code.
5. Replacement of any part that does not alter its approval or make it unsafe.
6. Portable evaporative cooler.
7. Self-contained refrigeration system containing 10 pounds (5 kg) or less of refrigerant and actuated by motors of 1 horsepower (746 W) or less.
8. The installation, replacement, removal or metering of any load management control device.

Plumbing:

1. The stopping of leaks in drains, water, soil, waste or vent pipe, provided, however, that if any concealed trap, drain pipe, water, soil, waste or vent pipe becomes defective and it becomes necessary to remove and replace the same with new material, such work shall be considered as new work and a permit shall be obtained and inspection made as provided in this code.
2. The clearing of stoppages or the repairing of leaks in pipes, valves or fixtures and the removal and reinstallation of water closets, provided such repairs do not involve or require the replacement or rearrangement of valves, pipes or fixtures.

105.2.1 Emergency repairs. Where equipment replacements and repairs must be performed in an emergency situation, the permit application shall be submitted within the next working business day to the building official.

105.2.2 Minor Repairs. Ordinary minor repairs or installation of replacement parts may be made with the prior approval of the building official without a permit, provided the repairs do not include the cutting away of any wall, partition or portion thereof, the removal or cutting of any structural beam or load-bearing support, or the removal or change of any required means of egress, or rearrangement of parts of a structure affecting the egress requirements; nor shall ordinary repairs include addition to, alteration of, replacement or relocation of any standpipe, water supply, sewer, drainage, drain leader, gas, soil, waste, vent or similar piping, electric wiring or mechanical or other work affecting public health or general safety, and such repairs shall not violate any of the provisions of the technical codes.

105.2.3 Public service agencies. A permit shall not be required for the installation, alteration or repair of generation, transmission, distribution or metering or other related equipment that is under the ownership and control of public service agencies by established right.

105.3 Application for permit. To obtain a permit, the applicant shall first file an application therefore in writing on a form furnished by the building department for that purpose.

Permit application forms shall be in the format prescribed by a local administrative board, if applicable, and must comply with the requirements of Section 713.135(5) and (6), Florida Statutes. Each application shall be inscribed with the date of application, and the

code in effect as of that date. For a building permit for which an application is submitted prior to the effective date of the Florida Building Code, the state minimum building code in effect in the permitting jurisdiction on the date of the application governs the permitted work for the life of the permit and any extension granted to the permit.

105.3.1 Action on application. The building official shall examine or cause to be examined applications for permits and amendments thereto within a reasonable time after filing. If the application or the construction documents do not conform to the requirements of pertinent laws, the building official shall reject such application in writing, stating the reasons there for. If the building official is satisfied that the proposed work conforms to the requirements of this code and laws and ordinances applicable thereto, the building official shall issue a permit therefore as soon as practicable. When authorized through contractual agreement with a school board, in acting on applications for permits, the building official shall give first priority to any applications for the construction of, or addition or renovation to, any school or educational facility.

105.3.1.2 No permit may be issued for any building construction, erection, alteration, modification, repair, or addition unless the applicant for such permit provides to the enforcing agency which issues the permit any of the following documents which apply to the construction for which the permit is to be issued and which shall be prepared by or under the direction of an engineer registered under Chapter 471, Florida Statutes:

1. Plumbing documents for any new building or addition which requires a plumbing system with more than 250 fixture units or which costs more than \$125,000.
2. Fire sprinkler documents for any new building or addition which includes a fire sprinkler system which contains 50 or more sprinkler heads. A Contractor I, Contractor II, or Contractor IV, certified under Section 633.521 Florida Statutes, may design a fire sprinkler system of 49 or fewer heads and may design the alteration of an existing fire sprinkler system if the alteration consists of the relocation, addition or deletion of not more than 49 heads, notwithstanding the size of the existing fire sprinkler system.
3. Heating, ventilation, and air-conditioning documents for any new building or addition which requires more than a 15-ton-per-system capacity which is designed to accommodate 100 or more persons or for which the system costs more than \$125,000. This paragraph does not include any document for the replacement or repair of an existing system in which the work does not require altering the structural part of the building or for work on a residential one-, two-, three- or four-family structure.

An air-conditioning system may be designed by an installing air-conditioning contractor certified under Chapter 489, Florida Statutes, to serve any building or addition which is designed to accommodate fewer than 100 persons and requires an air-conditioning system with a value of \$125,000 or less; and when a 15-ton-per-system or less is designed for a singular space of a building and each 15-ton system or less has an independent duct system. Systems not complying with the above require design documents that are to be sealed by a professional engineer.

Example 1: When a space has two 10-ton systems, with each having an independent duct system, the contractor may design these two systems since each unit (system) is less than 15 tons.

Example 2: Consider a small single-story office building which consists of six individual offices where each office has a single three-ton package air-conditioning heat pump. The six heat pumps are connected to a single water cooling tower. The cost of the entire heating, ventilation and air-conditioning work is \$47,000 and the office building accommodates fewer than 100 persons. Because the six mechanical units are connected to a common water tower, this is considered to be an 18-ton system. It therefore could not be designed by a mechanical or air conditioning contractor.

NOTE: It was further clarified by the Commission that the limiting criteria of 100 persons and \$125,000 apply to the building occupancy load and the cost for the total air-conditioning system of the building.

4. Any specialized mechanical, electrical, or plumbing document for any new building or addition which includes a medical gas, oxygen, steam, vacuum, toxic air filtration, halon, or fire detection and alarm system which costs more than \$5,000.

5. Electrical documents. See Florida Statutes 471.003(2)(h).

Documents requiring an engineer seal by this part shall not be valid unless a professional engineer who possesses a valid certificate of registration has signed, dated, and stamped such document as provided in Section 471.025, Florida Statutes.

105.3.2 Time limitation of application. An application for a permit for any proposed work shall be deemed to have been abandoned becoming null and void 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

105.3.3 An enforcing authority may not issue a building permit for any building construction, erection, alteration, modification, repair or addition unless the permit either includes on its face or there is attached to the permit the following statement: "NOTICE: In addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this county, and there may be additional permits required from other governmental entities such as water management districts, state agencies, or federal agencies."

105.3.4 A building permit for a single-family residential dwelling must be issued within 30 working days of application therefore, unless unusual circumstances require a longer time for processing the application, or unless the permit application fails to satisfy the Florida Building Code or the enforcing agency's laws or ordinances.

105.3.5 Identification of minimum premium policy. Except as otherwise provided in Chapter 440, Florida Statutes, Workers' Compensation, every employer shall, as a condition to receiving a building permit, show proof that it has secured compensation for its employees as provided in Section 440.10 and 440.38, Florida Statutes.

105.3.6 Asbestos removal. Moving, removal or disposal of asbestos-containing materials on a residential building where the owner occupies the building, the building is not for sale or lease, and the work is performed according to the owner-builder limitations provided in this paragraph. To qualify for exemption under this paragraph, an owner must personally appear and sign the building permit application. The permitting agency shall provide the person with a disclosure statement in substantially the following form:

Disclosure Statement:

State law requires asbestos abatement to be done by licensed contractors. You have applied for a permit under an exemption to that law. The exemption allows you, as the owner of your property, to act as your own asbestos abatement contractor even though you do not have a license. You must supervise the construction yourself. You may move, remove or dispose of asbestos-containing materials on a residential building where you occupy the building and the building is not for sale or lease, or the building is a farm outbuilding on your property. If you sell or lease such building within 1 year after the asbestos abatement is complete, the law will presume that you intended to sell or lease the property at the time the work was done, which is a violation of this exemption. You may not hire an unlicensed person as your contractor. Your work must be done according to all local, state and federal laws and regulations which apply to asbestos abatement projects. It is your responsibility to make sure that people employed by you have licenses required by state law and by county or municipal licensing ordinances.

105.3.7 Applicable Code for Manufactured Buildings. Manufacturers should be permitted to complete all buildings designed and approved prior to the effective date of a new code edition, provided a clear signed contract is in place. The contract shall provide specific data mirroring that required by an application for permit, specifically, without limitation, date of execution, building owner or dealer, and anticipated date of completion. However, the construction activity must commence within 6 months of the contract's execution. The contract is subject to verification by the Department of Community Affairs.

105.3.8 Public right of way. A permit shall not be given by the building official for the construction of any building, or for the alteration of any building where said building is to be changed and such change will affect the exterior walls, bays, balconies, or other appendages or projections fronting on any street, alley or public lane, or for the placing on any lot or premises of any building or structure removed from another lot or premises, unless the applicant has received a right of way permit from the authority having jurisdiction over the street, alley or public lane

105.4 Conditions of the permit. The issuance or granting of a permit shall not be construed to be a permit for, or an approval of, any violation of any of the provisions of this code or of any other ordinance of the jurisdiction. Permits presuming to give

authority to violate or cancel the provisions of this code or other ordinances of the jurisdiction shall not be valid. The issuance of a permit based on construction documents and other data shall not prevent the building official from requiring the correction of errors in the construction documents and other data. The building official is also authorized to prevent occupancy or use of a structure where in violation of this code or of any other ordinances of this jurisdiction.

105.4.1 Permit intent. A permit issued shall be construed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time the work is commenced.

105.4.1.1 If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work. Permits may be reinstated or renewed at the discretion of the building official or his/her designee for just cause.

105.4.1.2 If a new permit is not obtained or renewed within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date of issuance of the new permit.

105.4.1.3 Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

105.4.1.4 The fee for renewal, reissuance, and extension of a permit shall be set forth by the administrative authority.

105.5 Expiration. Every permit issued shall become inactive unless the work on the site authorized by such permit is commenced within 180 days after its issuance, or if the work authorized on the site by such permit is suspended or abandoned for a period of 180 days after the time the work is commenced. The building official is authorized to grant, in writing, one or more extensions of time, for periods not more than 180 days each. The extension shall be requested in writing and justifiable cause demonstrated.

105.6 Suspension or revocation. The building official is authorized to suspend or revoke a permit issued under the provisions of this code wherever the permit is issued in error or

on the basis of incorrect, inaccurate or incomplete information, or in violation of any ordinance or regulation or any of the provisions of this code.

105.7 Placement of permit. The building permit or copy shall be kept on the site of the work until the completion of the project and clearly visible from the road.

105.8 Notice of commencement. As per Section 713.135, Florida Statutes, when any person applies for a building permit, the authority issuing such permit shall print on the face of each permit card in no less than 14-point, capitalized, boldfaced type: “WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.”

105.9 Asbestos. The enforcing agency shall require each building permit for the demolition or renovation of an existing structure to contain an asbestos notification statement which indicates the owner’s or operator’s responsibility to comply with the provisions of Section 469.003, Florida Statutes, and to notify the Department of Environmental Protection of his or her intentions to remove asbestos, when applicable, in accordance with state and federal law.

105.10 Certificate of protective treatment for prevention of termites. A weather-resistant job-site posting board shall be provided to receive duplicate treatment certificates as each required protective treatment is completed, providing a copy for the person the permit is issued to and another copy for the building permit files. The treatment certificate shall provide the product used identity of the applicator, time and date of the treatment, site location, area treated, chemical used, percent concentration and number of gallons used, to establish a verifiable record of protective treatment. If the soil chemical barrier method for termite prevention is used, final exterior treatment shall be completed prior to final building approval.

105.11 Notice of termite protection. A permanent sign which identifies the termite treatment provider and need for reinspection and treatment contract renewal shall be provided. The sign shall be posted near the water heater or electric panel.

105.12 Work starting before permit issuance. Upon approval of the building official, the scope of work delineated in the building permit application and plan may be started prior to the final approval and issuance of the permit, provided any work completed is entirely at risk of the permit applicant and the work does not proceed past the first required inspection.

105.13 Phased permit approval. After submittal of the appropriate construction documents, the building official is authorized to issue a permit for the construction of foundations or any other part of a building or structure before the construction documents for the whole building or structure have been submitted. The holder of such permit for the

foundation or other parts of a building or structure shall proceed at the holder's own risk with the building operation and without assurance that a permit for the entire structure will be granted. Corrections may be required to meet the requirements of the technical codes.

105.14 Permit issued on basis of an affidavit. Whenever a permit is issued in reliance upon an affidavit or whenever the work to be covered by a permit involves installation under conditions which, in the opinion of the building official, are hazardous or complex, the building official shall require that the architect or engineer who signed the affidavit or prepared the drawings or computations shall supervise such work. In addition, they shall be responsible for conformity to the permit, provide copies of inspection reports as inspections are performed, and upon completion make and file with the building official written affidavit that the work has been done in conformity to the reviewed plans and with the structural provisions of the technical codes. In the event such architect or engineer is not available, the owner shall employ in his stead a competent person or agency whose qualifications are reviewed by the building official. The building official shall ensure that any person conducting plans review is qualified as a plans examiner under Part XII of Chapter 468, Florida Statutes, and that any person conducting inspections is qualified as a building inspector under Part III of Chapter 468, Florida Statutes.

105.15 Opening protection. When any activity requiring a building permit that is applied for on or after July 1, 2008, and for which the estimated cost is \$50,000 or more for a site built single family detached residential structures that is located in the wind borne debris region as defined in this Code and that has an insured value of \$750,000 or more, or, if the site built single family detached residential structures is uninsured or for which documentation of insured value is not presented, has a just valuation for the structure for purposes of ad valorem taxation of \$750,000 or more; opening protections as required within this Code or Florida Building Code, Residential for new construction shall be provided.

Exception: Single family residential structures permitted subject to the Florida Building Code are not required to comply with this section.

106 FLOOR AND ROOF DESIGN LOADS

106.1 Live loads posted. Where the live loads for which each floor or portion thereof of a commercial or industrial building is or has been designed to exceed 50 psf (2.40 kN/m²), such design live loads shall be conspicuously posted by the owner in that part of each story in which they apply, using durable signs. It shall be unlawful to remove or deface such notices

106.2 Issuance of certificate of occupancy. A certificate of occupancy required by Section 111 shall not be issued until the floor load signs, required by Section 106.1, have been installed.

106.3 Restrictions on loading. It shall be unlawful to place, or cause or permit to be placed, on any floor or roof of a building, structure or portion thereof, a load greater than is permitted by this code.

107 SUBMITTAL DOCUMENTS

107.1 General. Submittal documents consisting of construction documents, statement of special inspections, geotechnical report and other data shall be submitted in two or more sets with each permit application. The construction documents shall be prepared by a registered design professional where required by Chapter 471, Florida Statutes & 61G15 Florida Administrative Code or Chapter 481, Florida Statutes & 61G1 Florida Administrative Code. The building official is authorized to require additional construction documents to be signed and sealed by a registered design professional.

Exception: The building official is authorized to waive the submission of construction documents and other data not required to be prepared by a registered design professional if it is found that the nature of the work applied for is such that review of construction documents is not necessary to obtain compliance with this code.

107.2 Construction documents. Construction documents shall be in accordance with Sections 107.2.1 through 107.2.5.

107.2.1 Information on construction documents. Construction documents shall be dimensioned and drawn upon suitable material. Electronic media documents are permitted to be submitted when approved by the building official. Construction documents shall be of sufficient clarity to indicate the location, nature and extent of the work proposed and show in detail that it will conform to the provisions of this code and relevant laws, ordinances, rules and regulations, as determined by the building official. Such drawings and specifications shall contain information, in the form of notes or otherwise, as to the quality of materials, where quality is essential to conformity with the technical codes. Such information shall be specific, and the technical codes shall not be cited as a whole or in part, nor shall the term "legal" or its equivalent be used as a substitute for specific information. All information, drawings, specifications and accompanying data shall bear the name and signature of the person responsible for the design. (see also Section 107.3.5).

107.2.1.1 Fire protection system shop drawings. Shop drawings for the fire protection system(s) shall be submitted to indicate conformance to this code and the construction documents and shall be approved prior to the start of system installation. Shop drawings shall contain all information as required by the referenced installation standards in Chapter 9.

107.2.1.2 For roof assemblies required by the code, the construction documents shall illustrate, describe, and delineate the type of roofing system, materials, fastening requirements, flashing requirements and wind resistance rating that are required to be installed. Product evaluation and installation shall indicate compliance with the wind

criteria required for the specific site or a statement by an architect or engineer for the specific site must be submitted with the construction documents.

107.2.3 Means of egress. The construction documents shall show in sufficient detail the location, construction, size and character of all portions of the means of egress in compliance with the provisions of this code. In other than occupancies in Groups R-2, R-3, and I-1, the construction documents shall designate the number of occupants to be accommodated on every floor, and in all rooms and spaces.

107.2.4 Exterior wall envelope. Construction documents for all buildings shall describe the exterior wall envelope in sufficient detail to determine compliance with this code. The construction documents shall provide details of the exterior wall envelope as required, including flashing, intersections with dissimilar materials, corners, end details, control joints, intersections at roof, eaves or parapets, means of drainage, water-resistive membrane and details around openings. The construction documents shall include manufacturer's installation instructions that provide supporting documentation that the proposed penetration and opening details described in the construction documents maintain the weather resistance of the exterior wall envelope. The supporting documentation shall fully describe the exterior wall system which was tested, where applicable, as well as the test procedure used.

107.2.5 Site plan. The construction documents submitted with the application for permit shall be accompanied by a site plan showing to scale the size and location of new construction and existing structures on the site, distances from lot lines, the established street grades and the proposed finished grades and, as applicable, flood hazard areas, floodways, and design flood elevations; and it shall be drawn in accordance with an accurate boundary line survey. In the case of demolition, the site plan shall show construction to be demolished and the location and size of existing structures and construction that are to remain on the site or plot. The building official is authorized to waive or modify the requirement for a site plan when the application for permit is for alteration or repair or when otherwise warranted.

107.2.5.1 Design flood elevations. Where design flood elevations are not specified, they shall be established in accordance with Section 1612.3.1.

107.3 Examination of documents. The building official shall examine or cause to be examined the accompanying submittal documents and shall ascertain by such examinations whether the construction indicated and described is in accordance with the requirements of this code and other pertinent laws or ordinances.

Exceptions:

1. Building plans approved pursuant to Section 553.77(5), Florida Statutes, and state-approved manufactured buildings are exempt from local codes enforcing agency plan reviews except for provisions of the code relating to erection, assembly or construction at the site. Erection, assembly (including utility crossover connections) and construction at the site are subject to local permitting and inspections. Photocopies of plans approved

according to FAC 9B-1.009, F.A.C., shall be sufficient for local permit application documents of record for the modular building portion of the permitted project.

2. Industrial construction on sites where design, construction and fire safety are supervised by appropriate licensed design and inspection professionals and which contain adequate in-house fire departments and rescue squads is exempt, subject to approval of the building official, from review of plans and inspections, providing the appropriate licensed design and inspection professionals certify that applicable codes and standards have been met and supply appropriate approved drawings to local building and fire-safety inspectors.

107.3.1 Approval of construction documents. When the building official issues a permit, the construction documents shall be approved, in writing or by stamp, as "Reviewed for Code Compliance." One set of construction documents so reviewed shall be retained by the building official. The other set shall be returned to the applicant, shall be kept at the site of work and shall be open to inspection by the building official or a duly authorized representative.

107.3.2 Previous approvals. This code shall not require changes in the construction documents, construction or designated occupancy of a structure for which a lawful permit has been heretofore issued or otherwise lawfully authorized, and the construction of which has been pursued in good faith within 180 days after the effective date of this code and has not been abandoned.

107.3.3 Phased approval. The building official is authorized to issue a permit for the construction of foundations or any other part of a building or structure before the construction documents for the whole building or structure have been submitted, provided that adequate information and detailed statements have been filed complying with pertinent requirements of this code. The holder of such permit for the foundation or other parts of a building or structure shall proceed at the holder's own risk with the building operation and without assurance that a permit for the entire structure will be granted.

107.3.4 Design professional in responsible charge

107.3.4.1 General. When it is required that documents be prepared by a registered design professional, the building official shall be authorized to require the owner to engage and designate on the building permit application a registered design professional who shall act as the registered design professional in responsible charge. If the circumstances require, the owner shall designate a substitute registered design professional in responsible charge who shall perform the duties required of the original registered design professional in responsible charge. The building official shall be notified in writing by the owner if the registered design professional in responsible charge is changed or is unable to continue to perform the duties. The registered design professional in responsible charge shall be responsible for reviewing and coordinating submittal documents prepared

by others, including phased and deferred submittal items, for compatibility with the design of the building.

107.3.4.2 Deferred submittals. For the purposes of this section, deferred submittals are defined as those portions of the design that are not submitted at the time of the application and that are to be submitted to the building official within a specified period. Deferral of any submittal items shall have the prior approval of the building official. The registered design professional in responsible charge shall list the deferred submittals on the construction documents for review by the building official.

Documents for deferred submittal items shall be submitted to the registered design professional in responsible charge who shall review them and forward them to the building official with a notation indicating that the deferred submittal documents have been reviewed and found to be in general conformance to the design of the building. The deferred submittal items shall not be installed until the deferred submittal documents have been approved by the building official.

107.3.4.3 Certifications by contractors authorized under the provisions of Section 489.115(4)(b), Florida Statutes, shall be considered equivalent to sealed plans and specifications by a person licensed under Chapter 471, Florida Statutes, or Chapter 481 Florida Statutes, by local enforcement agencies for plans review for permitting purposes relating to compliance with the wind-resistance provisions of the code or alternate methodologies approved by the Florida Building Commission for one- and two-family dwellings. Local enforcement agencies may rely upon such certification by contractors that the plans and specifications submitted conform to the requirements of the code for wind resistance. Upon good cause shown, local government code enforcement agencies may accept or reject plans sealed by persons licensed under Chapters 471, 481 or 489, Florida Statutes.

107.3.5 Minimum plan review criteria for buildings. The examination of the documents by the building official shall include the following minimum criteria and documents, and other criteria as established by the Building Department: a floor plan; site plan; foundation plan; floor/roof framing plan or truss layout; all fenestration penetrations; flashing; and rough opening dimensions; and all exterior elevations:

Commercial Buildings:
Building

1. Site requirements:

- Parking
- Fire access
- Vehicle loading
- Driving/turning radius
- Fire hydrant/water supply/post indicator valve (PIV)
- Set back/separation (assumed property lines)
- Location of specific tanks, water lines and sewer lines

Flood hazard areas, flood zones, and design flood elevations

2. Occupancy group and special occupancy requirements shall be determined.
3. Minimum type of construction shall be determined (see Table 503).
4. Fire-resistant construction requirements shall include the following components:
 - Fire-resistant separations
 - Fire-resistant protection for type of construction
 - Protection of openings and penetrations of rated walls
 - Fire blocking and draft stopping and calculated fire resistance
5. Fire suppression systems shall include:
 - Early warning smoke evacuation systems Schematic fire sprinklers
 - Standpipes
 - Pre-engineered systems
 - Riser diagram
 - Same as above.
6. Life safety systems shall be determined and shall include the following requirements:
 - Occupant load and egress capacities
 - Early warning
 - Smoke control
 - Stair pressurization
 - Systems schematic
7. Occupancy load/egress requirements shall include:
 - Occupancy load
 - Gross
 - Net
 - Means of egress
 - Exit access
 - Exit
 - Exit discharge
 - Stairs construction/geometry and protection
 - Doors
 - Emergency lighting and exit signs
 - Specific occupancy requirements
 - Construction requirements
 - Horizontal exits/exit passageways
8. Structural requirements shall include:
 - Soil conditions/analysis
 - Termite protection
 - Design loads
 - Wind requirements

- Building envelope
- Impact resistant coverings or systems
- Structural calculations (if required)
- Foundation
- Flood requirements in accordance with Section 1612, including lowest floor elevations, enclosures, flood damage-resistant materials
- Wall systems
- Floor systems
- Roof systems
- Threshold inspection plan
- Stair systems

9. Materials shall be reviewed and shall at a minimum include the following:

- Wood
- Steel
- Aluminum
- Concrete
- Plastic
- Glass
- Masonry
- Gypsum board and plaster
- Insulating (mechanical)
- Roofing
- Insulation

10. Accessibility requirements shall include the following:

- Site requirements
- Accessible route
- Vertical accessibility
- Toilet and bathing facilities
- Drinking fountains
- Equipment
- Special occupancy requirements
- Fair housing requirements

11. Interior requirements shall include the following:

- Interior finishes (flame spread/smoke development)
- Light and ventilation
- Sanitation

12. Special systems:

- Elevators
- Escalators
- Lifts

13. Swimming pools:

- Barrier requirements
- Spas
- Wading pools

14. Electrical

Electrical:

- Wiring
- Services
- Feeders and branch circuits
- Overcurrent protection
- Grounding
- Wiring methods and materials
- GFCIs
- Equipment
- Special occupancies
- Emergency systems
- Communication systems
- Low voltage
- Load calculations
- Design flood elevation

15. Plumbing

- Minimum plumbing facilities
- Fixture requirements
- Water supply piping
- Sanitary drainage
- Water heaters
- Vents
- Roof drainage
- Back flow prevention
- Irrigation
- Location of water supply line
- Grease traps
- Environmental requirements
- Plumbing riser
- Design flood elevation

16. Mechanical

- Energy calculations
- Exhaust systems:
 - Clothes dryer exhaust
 - Kitchen equipment exhaust
 - Specialty exhaust systems
- Equipment
- Equipment location

- Make-up air
- Roof-mounted equipment
- Duct systems
- Ventilation
- Combustion air
- Chimneys, fireplaces and vents
- Appliances
- Boilers
- Refrigeration
- Bathroom ventilation
- Laboratory
- Design flood elevation

17. Gas

- Gas piping
- Venting
- Combustion air
- Chimneys and vents
- Appliances
- Type of gas
- Fireplaces
- LP tank location
- Riser diagram/shutoffs
- Design flood elevation

18. Demolition

- Asbestos removal

Residential (one- and two-family)

1. Site requirements

- Set back/separation (assumed property lines)

2. Location of septic tanks

3. Fire-resistant construction (if required)

4. Fire

5. Smoke detector locations

6. Egress

- Egress window size and location stairs construction requirements

7. Structural requirements shall include:

- Wind requirements
- Termite protection
- Design loads
- Building envelope
- Structural calculations (if required)
- Foundation
- Wall systems
- Floor systems
- Roof systems

8. Flood hazard areas, flood zones, design flood elevations, lowest floor elevations, enclosures, equipment, and flood damage-resistant materials

9. Accessibility requirements: show/identify accessible path
Wall section from foundation through roof, including assembly and materials connector tables wind requirements structural calculations (if required)

10. Impact resistant coverings or systems

11. Exemptions.

Plans examination by the building official shall not be required for the following work:

Replacing existing equipment such as mechanical units, water heaters, etc.

Reroofs

Minor electrical, plumbing and mechanical repairs

Annual maintenance permits

Prototype plans

Except for local site adaptations, siding, foundations and/or modifications.

Except for structures that require waiver.

Manufactured buildings plan except for foundations and modifications of buildings on site.

1. Site requirements

setback/separation (assumed property lines)

location of septic tanks (if applicable)

2. Structural

wind zone

anchoring

blocking

3. Plumbing

List potable water source and meter size (if applicable)

4. Mechanical

- Exhaust systems
 - clothes dryer exhaust
 - kitchen equipment exhaust

5. Electrical

- exterior disconnect location

107.4 Amended construction documents. Work shall be installed in accordance with the reviewed construction documents, and any changes made during construction that are not in compliance with the reviewed construction documents shall be resubmitted for approval as an amended set of construction documents.

107.5 Retention of construction documents. One set of approved construction documents shall be retained by the building official for a period of not less than 180 days from date of completion of the permitted work, or as required by Florida Statutes

107.6 Affidavits. The building official may accept a sworn affidavit from a registered architect or engineer stating that the plans submitted conform to the technical codes. For buildings and structures, the affidavit shall state that the plans conform to the laws as to egress, type of construction and general arrangement and, if accompanied by drawings, show the structural design and that the plans and design conform to the requirements of the technical codes as to strength, stresses, strains, loads and stability. The building official may without any examination or inspection accept such affidavit, provided the architect or engineer who made such affidavit agrees to submit to the building official copies of inspection reports as inspections are performed and upon completion of the structure, electrical, gas, mechanical or plumbing systems a certification that the structure, electrical, gas, mechanical or plumbing system has been erected in accordance with the requirements of the technical codes. Where the building official relies upon such affidavit, the architect or engineer shall assume full responsibility for compliance with all provisions of the technical codes and other pertinent laws or ordinances. The building official shall ensure that any person conducting plans review is qualified as a plans examiner under Part XII of Chapter 468, Florida Statutes, and that any person conducting inspections is qualified as a building inspector under Part XII of Chapter 468, Florida Statutes.

108 TEMPORARY STRUCTURES AND USES

108.1 General. The building official is authorized to issue a permit for temporary structures and temporary uses. Such permits shall be limited as to time of service, but shall not be permitted for more than 180 days. The building official is authorized to grant extensions for demonstrated cause.

108.2 Conformance. Temporary structures and uses shall conform to the structural strength, fire safety, means of egress, accessibility, light, ventilation and sanitary requirements of this code as necessary to ensure public health, safety and general welfare.

108.3 Temporary power. The building official is authorized to give permission to temporarily supply and use power in part of an electric installation before such installation has been fully completed and the final certificate of completion has been issued. The part covered by the temporary certificate shall comply with the requirements specified for temporary lighting, heat or power in Chapter 27 of the Florida Building Code, Building.

108.4 Termination of approval. The building official is authorized to terminate such permit for a temporary structure or use and to order the temporary structure or use to be discontinued.

109 FEES

109.1 Prescribed fees. A permit shall not be issued until fees authorized under Section 553.80, Florida Statutes, have been paid. Nor shall an amendment to a permit be released until the additional fee, if any, due to an increase in the estimated cost of the building, structure, electrical, plumbing, mechanical, or gas systems, has been paid.

109.2 Schedule of permit fees. On buildings, structures, electrical, gas, mechanical, and plumbing systems or alterations requiring a permit, a fee for each permit shall be paid as required, in accordance with the schedule as established by the applicable governing authority.

109.2.1 Types of Fees Enumerated. Fees may be charged for but not limited to the following:

- Permits;
- Plans examination;
- Certificates of competency (including fees for applications, examinations, renewal, late renewal, and reciprocity);
- Re-inspections;
- Administrative fees (including fees for investigative and legal costs incurred in the context of certain disciplinary cases heard by the board);
- Variance requests;
- Administrative appeals;
- Violations; and
- Other fees as established by local resolution or ordinance.

109.3 Building permit valuations. The applicant for a permit shall provide an estimated permit value at time of application. Permit valuations shall include total value of work, including materials and labor, for which the permit is being issued, such as electrical, gas, mechanical, plumbing equipment and permanent systems. If, in the opinion of the building official, the valuation is underestimated on the application, the permit shall be

denied, unless the applicant can show detailed estimates to meet the approval of the building official. Final building permit valuation shall be set by the building official.

109.4 Work commencing before permit issuance. Any person who commences any work on a building, structure, electrical, gas, mechanical or plumbing system before obtaining the building official's approval or the necessary permits shall be subject to a penalty of 200 percent of the usual permit fee in addition to the required permit fees or as provided by local ordinance. This provision shall not apply to emergency work when delay would clearly have placed life or property in imminent danger. But in all such cases the required permit(s) must be applied for within three (3) business days and any unreasonable delay in obtaining those permit(s) shall result in the charge of a double fee. The payment of a double fee shall not preclude or be deemed a substitute for prosecution for commencing work without first obtaining a permit. The building official or his/her designee may grant extensions of time or waive fees when justifiable cause has been demonstrated in writing.

109.5 Related fees. The payment of the fee for the construction, alteration, removal or demolition for work done in connection to or concurrently with the work authorized by a building permit shall not relieve the applicant or holder of the permit from the payment of other fees that are prescribed by law.

109.6 Refunds. The building official is authorized to establish a refund policy.

110 INSPECTIONS

110.1 General. Construction or work for which a permit is required shall be subject to inspection by the building official and such construction or work shall remain accessible and exposed for inspection purposes until approved. Approval as a result of an inspection shall not be construed to be an approval of a violation of the provisions of this code or of other ordinances of the jurisdiction. Inspections presuming to give authority to violate or cancel the provisions of this code or of other ordinances of the jurisdiction shall not be valid. It shall be the duty of the permit applicant to cause the work to remain accessible and exposed for inspection purposes. The building official shall be permitted to require a boundary line survey prepared by a qualified surveyor whenever the boundary lines cannot be readily determined in the field. Neither the building official nor the jurisdiction shall be liable for expense entailed in the removal or replacement of any material required to allow inspection.

110.1.1 Manufacturers and fabricators. When deemed necessary by the building official, he shall make, or cause to be made, an inspection of materials or assemblies at the point of manufacture or fabrication. A record shall be made of every such examination and inspection and of all violations of the technical codes.

110.1.2 Inspection service. The building official may make, or cause to be made, the inspections required in Section 110. He or she may accept reports of department inspectors, independent inspectors or of recognized inspection services, provided that after investigation he/she is satisfied as to their licensure, qualifications and reliability. A

certificate required by any provision of this code shall not be based on such reports unless the same are recorded by the building code inspector or the architect or engineer performing building code inspections in a manner specified by the building official. The building official shall ensure that all persons making such inspections shall be certified in accordance to Chapter 468 Florida Statutes.

110.2 Preliminary inspection. Before issuing a permit, the building official is authorized to examine or cause to be examined buildings, structures and sites for which an application has been filed.

110.3 Required inspections. The building official, upon notification from the permit holder or his or her agent shall make the following inspections, and such other inspections as deemed necessary and shall either release that portion of the construction or shall notify the permit holder or his or her agent of any violations which must be corrected in order to comply with the technical codes. The building official shall determine the timing and sequencing of when inspections occur and what elements are inspected at each inspection.

Building:

1. Foundation inspection. . Footing and foundation inspections shall be made after excavations for footings are complete and any required reinforcing steel is in place. For concrete foundations, any required forms shall be in place prior to inspection. Materials for the foundation shall be on the job, except where concrete is ready mixed in accordance with ASTM C 94, the concrete need not be on the job. and shall at a minimum include the following building components:

- Stem-wall
- Monolithic slab-on-grade
- Piling/pile caps
- Footers/grade beams

1.1. Slab Inspection: Concrete slab and under-floor inspections shall be made after in-slab or under-floor reinforcing steel and building service equipment, conduit, piping accessories and other ancillary equipment items are in place, but before any concrete is placed or floor sheathing installed, including the subfloor.

A foundation/Form board survey prepared and certified by a registered surveyor may be required, prior to approval of the slab inspection. The survey shall certify placement of the building on the site, illustrate all surrounding setback dimensions and shall be available at the job site for review by the building inspector. In lieu of providing a survey, the contractor may elect to uncover all property line markers and string-up all property lines in preparation for inspection.

1.2. In flood hazard areas, upon placement of the lowest floor, including basement, and prior to further vertical construction, the elevation certification required in Section 1612.5 shall be submitted to the building official. Note: No further work to continue until elevation certificate is received and approved.

2. Framing inspection. Framing inspections shall be made after the roof deck or sheathing, all framing, fire blocking and bracing are in place and pipes, chimneys and vents to be concealed are complete and the rough electrical, plumbing, heating wires, pipes and ducts are approved, and shall at a minimum include the following building components:

- Window/door framing and installation
- Vertical cells/columns
- Lintel/tie beams
- Framing/trusses/bracing/connectors (including truss layout & Engineered drawings)
- Draft stopping/fire blocking
- Curtain wall framing
- Energy insulation
- Accessibility.
- Verify rough opening dimensions are within tolerances.
- Window/door buck attachment

2.1. Insulation Inspection: To be made after the framing inspection is approved and the insulation is in place.

2.2 _ Lath and gypsum board inspection. Lath and gypsum board inspections shall be made after lathing and gypsum board, interior and exterior, is in place, but before any plastering is applied or gypsum board joints and fasteners are taped and finished. Exception: Gypsum board that is not part of a fire-resistance- rated assembly or a shear assembly.

3. Sheathing inspection. To be made either as part of a dry-in inspection or done separately at the request of the contractor after all roof and wall sheathing and fasteners are complete and shall at a minimum include the following building components:

- Roof sheathing
- Wall sheathing
- Sheathing fasteners
- Roof/wall dry-in.
- Sheathing/cladding inspection

NOTE: Sheathing fasteners installed and found to be missing the structural member (shiners) shall be removed and properly reinstalled prior to installation of the dry-in material.

4. Roofing inspection. To be made as a minimum of two inspections and shall include the following building components:

- Dry-in
- Insulation
- Roof coverings (including In Progress as necessary)
- Flashing

5. Final inspection. To be made after the building is completed and ready for occupancy.

5.1. Lowest floor elevation. In flood hazard areas, upon placement of the lowest floor, including the basement, and prior to further vertical construction, the elevation certification required in Section 1612.5 shall be submitted to the building official.

6. Swimming pool inspection.

First inspection to be made after excavation and installation of reinforcing steel, bonding and main drain and prior to placing of concrete shell.

Underground electric inspection.

Underground piping inspection including a pressure test

Deck inspection: to be made prior to installation of the deck material (with forms, deck drains, and any reinforcement in place

Safety Inspection; Made prior to filling the pool with the bonding connections made, the proper drain covers installed and the final barriers installed.

Final inspection to be made when the swimming pool is complete and all required enclosure requirements are in place. In order to pass final inspection and receive a certificate of completion, a residential swimming pool must meet the requirements relating to pool safety features as described in Section 424.2.17.

7. Demolition inspections.

First inspection to be made after all utility connections have been disconnected and secured in such manner that no unsafe or unsanitary conditions shall exist during or after demolition operations.

Final inspection to be made after all demolition work is completed.

8. Manufactured building inspections.

The building department shall inspect construction of foundations; connecting buildings to foundations; installation of parts identified on plans as site installed items, joining the modules, including utility crossovers; utility connections from the building to utility lines on site; and any other work done on site which requires compliance with the Florida Building Code. Additional inspections may be required for public educational facilities (see Section 423.27.20).

The system indicated on the plans was installed. The system is installed in accordance with the manufacturer's installation instructions and the product approval.

9. Where impact resistant coverings or impact resistant systems are the building official shall schedule adequate inspections of impact resistant coverings or impact resistant systems to determine the following:

Electrical

1. Underground inspection. To be made after trenches or ditches are excavated, conduit or cable installed, and before any backfill is put in place.

2. Rough-in inspection. To be made after the roof, framing, fire blocking and bracing is in place and prior to the installation of wall or ceiling membranes.

3. Final inspection. To be made after the building is complete, all required electrical fixtures are in place and properly connected or protected, and the structure is ready for occupancy.

Plumbing

1. Underground inspection. To be made after trenches or ditches are excavated, piping installed, and before any backfill is put in place.

2. Rough-in inspection. To be made after the roof, framing, fire blocking and bracing is in place and all soil, waste and vent piping is complete, and prior to this installation of wall or ceiling membranes.

3. Final inspection. To be made after the building is complete, all plumbing fixtures are in place and properly connected, and the structure is ready for occupancy.

Note: See Section P312 of the Florida Building Code, Plumbing for required tests.

Mechanical

1. Underground inspection. To be made after trenches or ditches are excavated, underground duct and fuel piping installed, and before any backfill is put in place.

2. Rough-in inspection. To be made after the roof, framing, fire blocking and bracing are in place and all ducting, and other concealed components are complete, and prior to the installation of wall or ceiling membranes.

3. Final inspection. To be made after the building is complete, the mechanical system is in place and properly connected, and the structure is ready for occupancy.

Gas

1. Rough piping inspection. To be made after all new piping authorized by the permit has been installed, and before any such piping has been covered or concealed or any fixtures or gas appliances have been connected.

2. Final piping inspection. To be made after all piping authorized by the permit has been installed and after all portions which are to be concealed by plastering or otherwise have been so concealed, and before any fixtures or gas appliances have been connected. This inspection shall include a pressure test.

3. Final inspection. To be made on all new gas work authorized by the permit and such portions of existing systems as may be affected by new work or any changes, to ensure

compliance with all the requirements of this code and to assure that the installation and construction of the gas system is in accordance with reviewed plans.

Site Debris

1. The contractor and/or owner of any active or inactive construction project shall be responsible for the clean-up and removal of all construction debris or any other miscellaneous discarded articles prior to receiving final inspection approval. Construction job sites must be kept clean.

2. All debris shall be kept in such a manner as to prevent it from being spread by any means.

110.3.4 Termites. Building components and building surroundings required to be protected from termite damage in accordance with Section 1503.6, Section 2304.13 or Section 2304.11.6, specifically required to be inspected for termites in accordance with Section 2114, or required to have chemical soil treatment in accordance with Section 1816 shall not be covered or concealed until the release from the building official has been received.

110.3.5 Shoring. For threshold buildings, shoring and associated formwork or false work shall be designed and inspected by a Florida licensed professional engineer, employed by the permit holder or subcontractor, prior to any required mandatory inspections by the threshold building inspector.

110.3.7 Threshold building.

110.3.7.1 The enforcing agency shall require a special inspector to perform structural inspections on a threshold building pursuant to a structural inspection plan prepared by the engineer or architect of record. The structural inspection plan must be submitted to the enforcing agency prior to the issuance of a building permit for the construction of a threshold building. The purpose of the structural inspection plans is to provide specific inspection procedures and schedules so that the building can be adequately inspected for compliance with the permitted documents. The special inspector may not serve as a surrogate in carrying out the responsibilities of the building official, the architect, or the engineer of record. The contractor's contractual or statutory obligations are not relieved by any action of the special inspector.

110.3.7.2 The special inspector shall determine that a professional engineer who specializes in shoring design has inspected the shoring and reshoring for conformance with the shoring and reshoring plans submitted to the enforcing agency. A fee simple title owner of a building, which does not meet the minimum size, height, occupancy, occupancy classification, or number-of-stories criteria which would result in classification as a threshold building under s. 553.71(7), may designate such building as a threshold building, subject to more than the minimum number of inspections required by the Florida Building Code.

110.3.7.3 The fee owner of a threshold building shall select and pay all costs of employing a special inspector, but the special inspector shall be responsible to the enforcement agency. The inspector shall be a person certified, licensed or registered under Chapter 471, Florida Statutes, as an engineer or under Chapter 481, Florida Statutes, as an architect.

110.3.7.4 Each enforcement agency shall require that, on every threshold building:

110.3.7.4.1 The special inspector, upon completion of the building and prior to the issuance of a certificate of occupancy, file a signed and sealed statement with the enforcement agency in substantially the following form: "To the best of my knowledge and belief, the above described construction of all structural load-bearing components complies with the permitted documents, and the shoring and reshoring conforms to the shoring and reshoring plans submitted to the enforcement agency."

110.3.7.4.2 Any proposal to install an alternate structural product or system to which building codes apply be submitted to the enforcement agency for review for compliance with the codes and made part of the enforcement agency's recorded set of permit documents.

110.3.7.4.3 All shoring and reshoring procedures, plans and details are submitted to the enforcement agency for recordkeeping. Each shoring and reshoring installation shall be supervised, inspected and certified to be in compliance with the shoring documents by the contractor.

110.3.7.4.4 All plans for the building which are required to be signed and sealed by the architect or engineer of record contain a statement that, to the best of the architect's or engineer's knowledge, the plans and specifications comply with the applicable minimum building codes and the applicable fire-safety standards as determined by the local authority in accordance with this section and Chapter 633, Florida Statutes.

110.3.7.5 No enforcing agency may issue a building permit for construction of any threshold building except to a licensed general contractor, as defined in Section 489.105(3) (a), Florida Statutes, or to a licensed building contractor, as defined in Section 489.105(3)(b), Florida Statutes, within the scope of her or his license. The named contractor to whom the building permit is issued shall have the responsibility for supervision, direction, management and control of the construction activities on the project for which the building permit was issued.

110.3.7.6 The building department may allow a special inspector to conduct the minimum structural inspection of threshold buildings required by this code, Section 553.73, Florida Statutes, without duplicative inspection by the building department. The building official is responsible for ensuring that any person conducting inspections is qualified as a building inspector under Part XII of Chapter 468, Florida Statutes, or certified as a special inspector under Chapter 471 or 481, Florida Statutes. Inspections of

threshold buildings required by Section 553.79(5), Florida Statutes, are in addition to the minimum inspections required by this code.

110.3.3 Reinforcing steel and structural frames. Reinforcing steel or structural frame work of any part of any building or structure shall not be covered or concealed without first obtaining a release from the building official.

110.3.9 Special inspections. Reserved.

110.3.10 Final inspection. The final inspection shall be made after all work required by the building permit is completed.

110.4 Inspection agencies. The building official is authorized to accept reports of approved inspection agencies, provided such agencies satisfy the requirements as to qualifications and reliability.

110.5 Inspection requests. It shall be the duty of the holder of the building permit or their duly authorized agent to notify the building official when work is ready for inspection. It shall be the duty of the permit holder to provide access to and means for inspections of such work that are required by this code.

110.6 Approval required. Work shall not be done beyond the point indicated in each successive inspection without first obtaining the approval of the building official. The building official, upon notification, shall make the requested inspections and shall either indicate the portion of the construction that is satisfactory as completed, or notify the permit holder or his or her agent wherein the same fails to comply with this code. Any portions that do not comply shall be corrected and such portion shall not be covered or concealed until authorized by the building official.

111 CERTIFICATE OF OCCUPANCY AND COMPLETION

111.1 Use and occupancy. No building or structure shall be used or occupied, and no change in the existing occupancy classification of a building or structure or portion thereof shall be made, until the building official has issued a certificate of occupancy therefore as provided herein. Issuance of a certificate of occupancy shall not be construed as an approval of a violation of the provisions of this code or of other ordinances of the jurisdiction.

Exception: Certificates of occupancy are not required for work exempt from permits under Section 105.2.

111.2 Certificate issued. After the building official inspects the building or structure and finds no violations of the provisions of this code or other laws that are enforced by the building department, the building official shall issue a certificate of occupancy that contains, but is not limited to, the following:

1. The building permit number.
2. The address of the structure.
3. The name and address of the owner.
4. The name of the project and/or tenant, if applicable.
5. A statement that the described portion of the structure has been inspected for compliance with the requirements of this code for the occupancy and division of occupancy and the use for which the proposed occupancy is classified.
6. The name of the building official.

111.3 Temporary occupancy. The building official is authorized to issue a temporary certificate of occupancy before the completion of the entire work covered by the permit, provided that such portion or portions shall be occupied safely. The building official shall set a time period during which the temporary certificate of occupancy is valid.

111.4 Certificate of Completion. A Certificate of Completion is proof that a structure or system is complete and for certain types of permits is released for use and may be connected to a utility system. This certificate does not grant authority to occupy a building, such as shell building, prior to the issuance of a Certificate of Occupancy.

111.5 Revocation. The building official is authorized to, in writing, suspend or revoke a certificate of occupancy or completion issued under the provisions of this code wherever the certificate is issued in error, or on the basis of incorrect information supplied, or where it is determined that the building or structure or portion thereof is in violation of any ordinance or regulation or any of the provisions of this code.

112 SERVICE UTILITIES

112.1 Connection of service utilities. No person shall make connections from a utility, source of energy, fuel or power to any building or system that is regulated by this code for which a permit is required, until released by the building official.

112.2 Temporary connection. The building official shall have the authority to authorize the temporary connection of the building or system to the utility source of energy, fuel or power.

112.3 Authority to disconnect service utilities. The building official shall have the authority to authorize disconnection of utility service to the building, structure or system regulated by this code and the referenced codes and standards set forth in Section 101.4 in case of emergency where necessary to eliminate an immediate hazard to life or property or when such utility connection has been made without the approval required by Section 112.1 or 112.2. The building official shall notify the serving utility, and wherever possible the owner and occupant of the building, structure or service system of the decision to disconnect prior to taking such action. If not notified prior to disconnecting, the owner or occupant of the building, structure or service system shall be notified in writing, as soon as practical thereafter.

113 BOARD OF APPEALS

113.1 Appointment. There may be established a board to be called the Construction Board of Adjustment and Appeals, which should consist of nine (9) members but not less than seven. The board shall be appointed by the applicable governing body.

113.2 Membership and terms

113.2.1 Membership. The Construction Board of Adjustment and Appeals should be composed of two (2) division I contractors, one(1) electrical contractor, one (1) mechanical contractor, one(1) plumbing contractor, (1) architect, (1) engineer and two(2) members of the general public whenever possible. A board member shall not act in a case in which he has a personal or financial interest.

113.2.2 Terms. The terms of office of the board members shall be staggered so no more than 1/3 of the board is appointed or replaced in any 12 month period. Vacancies shall be filled for an un-expired term in the manner in which original appointments are required to be made. Continued absence of any member from required meetings of the board shall, at the discretion of the applicable governing body, render any such member subject to immediate removal from office.

113.2.3 Quorum and Voting. A simple majority of the board shall constitute a quorum. In varying any provision of this code, the affirmative votes of the majority present, but not less than three affirmative votes, shall be required. In modifying a decision of the building official, not less than four affirmative votes, but not less than a majority of the board, shall be required.

113.2.4 Secretary of Board. A person shall be appointed by the local jurisdiction, to act as secretary of the board and shall make a detailed record of all of its proceedings, which shall set forth the reasons for its decision, the vote of each member, the absence of a member and any failure of a member to vote.

113.3 Powers. The Construction Board Adjustments and Appeals shall have the power, further defined in 108.4, to hear appeals of decisions and interpretations of the building official and consider variances of the technical codes.

113.4 Appeals

113.4.1 Decision of the building official. The owner of a building, structure or service system, or his duly authorized agent, may appeal a decision of the building official to the Construction Board of Adjustment and Appeals whenever any one of the following conditions are claimed to exist:

1. The building official rejected or refused to approve the mode or manner of construction proposed to be followed or materials to be used in the installation or alteration of a building, structure or service system.
2. The provisions of this code do not apply to this specific case.

3. That an equally good or more desirable form of installation can be employed in any specific case.
4. The true intent and meaning of this code or any of the regulations there under have been misconstrued or incorrectly interpreted.

113.4.2 Variances. The Construction Board of Adjustments and Appeals, when so appealed to and after a hearing, may vary the application of any provision of this code to any particular case when, in its opinion, the enforcement thereof would do manifest injustice and would be contrary to the spirit and purpose of this or the technical codes or public interest, and also finds all of the following:

1. That special conditions and circumstances exist which are peculiar to the building, structure or service system involved and which are not applicable to others.
2. That the special conditions and circumstances do not result from the action or inaction of the applicant.
3. That granting the variance requested will not confer on the applicant any special privilege that is denied by this code to other buildings, structures or service system.
4. That the variance granted is the minimum variance that will make possible the reasonable use of the building, structure or service system.
5. That the granting of the variance will be in harmony with the general intent and purpose of this code and will not be detrimental to the public health, safety and general welfare.

113.4.2.1 Conditions of the variance. In granting the variance, the board may prescribe a reasonable time limit within which the action for which the variance is required shall be commenced or completed or both. In addition, the board may prescribe appropriate conditions and safeguards in conformity with this code. Violation of the conditions of a variance shall be deemed a violation of this code.

113.4.3 Notice of appeal. Notice of appeal shall be in writing and filed within 30 calendar days after the decision is rendered by the building official. Appeals shall be in a form acceptable to the building official. Appeals relating to provisions of the *"Florida Building Code"*, other than local amendments, may be appealed to the Florida Building Commission, pursuant to section 120.569 Florida Statutes, regarding the local government's action. Notice of Administrative Rights may be obtained from the local building department.

113.4.4 Unsafe or dangerous buildings or service systems. In the case of a building, structure or service system which, in the opinion of the building official, is unsafe,

unsanitary or dangerous, the building official may, in his order, limit the time for such appeals to a shorter period.

113.5 Procedures of the Board

113.5.1 Rules and regulations. The board shall establish rules and regulations for its own procedure not inconsistent with the provisions of this code. The board shall meet on call of the chairman. The board shall meet within 30 calendar days after notice of appeal has been received.

113.5.2 Decisions. The Construction Board of Adjustment and Appeals shall, in every case, reach a decision without unreasonable or unnecessary delay. Each decision of the board shall also include the reasons for the decision. If a decision of the board reverses or modifies a refusal, order, or disallowance of the building official or varies the application of any provision of this code, the building official shall immediately take action in accordance with such decision. Every decision shall be promptly filed in writing in the office of the building official and shall be open to public inspection. A certified copy of the decision shall be sent by mail or otherwise to the appellant and a copy shall be kept publicly posted in the office of the building official for two weeks after filing. Every decision of the board shall be final, subject however to such remedy as any aggrieved party might have at law or in equity.

114 VIOLATIONS

114.1 Unlawful acts. It shall be unlawful for any person, firm or corporation to erect, construct, alter, extend, repair, move, remove, demolish or occupy any building, structure or equipment regulated by this code, or cause same to be done, in conflict with or in violation of any of the provisions of this code.

114.2 Notice of violation. The building official is authorized to serve a notice of violation or order on the person responsible for the erection, construction, alteration, extension, repair, moving, removal, demolition or occupancy of a building or structure in violation of the provisions of this code, or in violation of a permit or certificate issued under the provisions of this code. Such order shall direct the discontinuance of the illegal action or condition and the abatement of the violation.

114.3 Prosecution of violation. If the notice of violation is not complied with promptly, the building official is authorized to request the legal counsel of the jurisdiction to institute the appropriate proceeding at law or in equity to restrain, correct or abate such violation, or to require the removal or termination of the unlawful occupancy of the building or structure in violation of the provisions of this code or of the order or direction made pursuant thereto.

114.4 Violation penalties. Any person who violates a provision of this code or fails to comply with any of the requirements thereof or who erects, constructs, alters or repairs a building or structure in violation of the approved construction documents or directive of the building official, or of a permit or certificate issued under the provisions of this code, shall be subject to penalties as prescribed by law.

115 STOP WORK ORDER

115.1 Authority. Whenever the building official finds any work regulated by this code being performed in a manner either contrary to the provisions of this code or dangerous or unsafe, the building official is authorized to issue a stop work order.

115.2 Issuance. The stop work order shall be in writing and shall be given to the owner of the property involved, or to the owner's agent, or to the person doing the work. Upon issuance of a stop work order, the cited work shall immediately cease. The stop work order shall state the reason for the order, and the conditions under which the cited work will be permitted to resume.

115.3 Unlawful continuance. Any person who shall continue any work after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to penalties as prescribed by law.

116 UNSAFE STRUCTURES AND EQUIPMENT

Refer to Hernando County Code of Ordinances, Chapter 8, Article II, Division 6 for provisions for unsafe structures and equipment.

SECTION 2. SEVERANCE OF PARTS

Should any section, paragraph, sentence, phrase, clause or other part or provision of this ordinance be declared by any court to be invalid, the same shall not affect the validity of the ordinance as a whole, or any part thereof, other than the part declared to be invalid.

SECTION 3. REPEALER CLAUSE

Upon the effective date of this ordinance, those previously enacted ordinances and amendments thereto which regulate the construction activities addressed by this ordinance, namely Hernando County Ordinance No. 2001-22, are hereby repealed.

Notwithstanding anything to the contrary herein, the adoption of this ordinance shall not be construed or held to repeal the above-referenced ordinances or the code provisions in effect prior to the adoption of this ordinance as to any violation occurring, pending, or committed in violation of any of the stated ordinances or the prior code provisions. Such pending, occurring, or committed violations will be prosecuted under the applicable ordinance or the prior code provisions under the procedures and penalties of the applicable ordinance or the prior code provisions. No violation of the provisions of the applicable ordinance or the prior code provisions shall be prosecuted two (2) years from the effective date of this ordinance.

SECTION 4. VIOLATIONS AND PENALTIES

Any person, firm, corporation or agent who shall violate a provision of this code, or fail to comply therewith, or with any of the requirements thereof, or who shall erect, construct, alter, install, demolish or move any structure, electrical, gas, mechanical or plumbing system, or has erected, constructed, altered, repaired, moved or demolished a building, structure, electrical, gas, mechanical or plumbing system, in violation of a detailed statement or drawing submitted and permitted there under, shall be guilty of a misdemeanor of the second degree. Each such person shall be considered guilty of a separate offense for each and every day or portion thereof during which any violation of any of the provisions of this code is committed or continued. Upon conviction of any such violation such person shall be punished within the limits as provided by law and local ordinance.

SECTION 5. INCLUSION IN THE CODE

It is the intention of the Board of County Commissioners of Hernando County, Florida, and it is hereby provided that the provisions of this Ordinance shall become and be made a part of the Code of Ordinances of Hernando County, Florida. To this end, the sections of this Ordinance may be renumbered or re-lettered to accomplish such intention, and that the word "ordinance" may be changed to "section", "article", or other appropriate designation.

SECTION 6. EFFECTIVE DATE


This ordinance shall take effect immediately upon receipt of official acknowledgment from the office of the Secretary of State of Florida that this ordinance has been filed with said office.

BE IT ORDAINED BY THE BOARD OF COUNTY COMMISSIONERS OF HERNANDO COUNTY in Regular Session this 8th day of May, 2012

**BOARD OF COUNTY COMMISSIONERS
HERNANDO COUNTY, FLORIDA**


By: Wayne Dukes
WAYNE DUKES, Chairman

Attest: Karen Nicolai
KAREN NICOLAI, Clerk



Wind Borne Debris Area:

- | | | | |
|---|-------------------|--|-------------------|
| (1) Intersection of Lagrue Rd. & Retriever Rd. | 82, 34 w 28, 42 n | (3) Then S approx. 5 mi. to Intersection of Tarpon Blvd., and Hwy 19 | 82, 38 w 28, 28 n |
| (2) Then southerly approx. 11 mi. to Intersection of Cortez Blvd and the first N/S canal E of Shoal Line Blvd. running N and S (approx. 1 mi.) between Cortez Blvd and the Weeki Wachee River | 82, 37 w 28, 33 n | (4) Then southerly approx. 2 mi. to Intersection of County Line Rd. and Hwy 19 | 82, 38 w 28, 26 n |
| | | END | |



Risk Category II: Moderate Hazard Category
 All structures not covered in Risk Category I, III, or IV. This includes most residential and commercial facilities, towers, signs, etc.

NOTE: All areas east of 140 MPH line are 139 MPH unless otherwise interpolated.

This map was prepared by this office to be used as an aid in land parcel location and identification only. All land locations, right-of-way widths, acreages, and utility locations are subject to field survey or other appropriate verification. Map reflects parcels and boundaries as they existed on 02/28/12



**Wind Zone A
 Hernando County, Florida**


NOT TO SCALE

- Legend**
- Wind Borne Debris Region
 - Wind Zones
 - Main Roads
 - I-75
 - SUNCOAST
 - County Boundary



Risk Category III: Substantial Hazard Category
 Assembly spaces holding more than 300 people (many of these are churches), non-surgical medical facilities, schools, power plants, water and sewer plants, etc.

Risk Category IV: Essential Facilities Category
 Full-service hospitals, fire and police stations, emergency shelters, critical utilities, etc.



NOTE: All areas are Wind Borne Debris Region and all areas are 149 MPH unless otherwise interpolated.

This map was prepared by this office to be used as an aid in land parcel location and identification only. All land locations, right-of-way widths, acreages, and utility locations are subject to field survey or other appropriate verification. Map reflects parcel and boundaries as they existed on 02/08/2012




Wind Zone B Hernando County, Florida

NOT TO SCALE

- Legend**
- Wind Zone
 - Main Roads
 - I-75
 - SUNCOAST
 - ▭ County Boundary



Risk Category I: Low Hazard Category
Agricultural facilities, Certain Temporary Facilities,
Minor Storage Sheds, Screen Enclosures



NOTE: All areas are 127 mph.
Interpolation is not allowed.

NOT TO SCALE

Wind Zone C

Hernando County, Florida

- Legend**
- Main Roads
 - I-75
 - SUNCOAST
 - County Boundary



This map was prepared by this office to be used as an aid in land parcel location and identification only. All land locations, right-of-way widths, acreages, and utility locations are subject to field survey or other appropriate verification. Map reflects parcel and boundaries as they existed on 02/08/12





FLORIDA DEPARTMENT *of* STATE

RICK SCOTT
Governor

KEN DETZNER
Secretary of State

May 17, 2012

Honorable Karen Nicolai
Clerk of the Circuit Court
Hernando County
Room 131, 20 North Main Street
Brooksville, Florida 34601-2800

Attention: Ms. Diane Knoll, Minutes Clerk

Dear Ms. Nicolai:

Pursuant to the provisions of Section 125.66, Florida Statutes, this will acknowledge receipt of your letter dated May 14, 2012 and certified copy of Hernando County Ordinance No. 2012-5, which was filed in this office on May 17, 2012.

As requested, the date stamped originals are being return for your records.

Sincerely,

A handwritten signature in cursive script that reads "Liz Cloud".

Liz Cloud
Program Administrator

LC/srd

Enclosure

2012 MAY 23 AM 10:44
HERNANDO COUNTY
RECEIVED